Marquette University

e-Publications@Marquette

Exercise Science Faculty Research and Publications

Exercise Science, Department of

2011

Resilient Observer Design for Discrete-Time Nonlinear Systems with General Criteria

Chung Seop Jeong Marquette University

Edwin E. Yaz *Marquette University*, edwin.yaz@marquette.edu

Yvonne I. Yaz Milwaukee School of Engineering

Follow this and additional works at: https://epublications.marquette.edu/exsci_fac

Recommended Citation

Jeong, Chung Seop; Yaz, Edwin E.; and Yaz, Yvonne I., "Resilient Observer Design for Discrete-Time Nonlinear Systems with General Criteria" (2011). *Exercise Science Faculty Research and Publications*. 16. https://epublications.marquette.edu/exsci_fac/16

Resilient Observer Design For Discrete-Time Nonlinear Systems With General Criteria

Chung Seop Jeong

Department of Electrical and Computer Engineering, Marquette University, Milwaukee, WI Edwin Engin Yaz

Department of Electrical and Computer Engineering, Marquette University, Milwaukee, WI

Yvonne Ilke Yaz

Department of Mathematics, Milwaukee School of Engineering, Milwaukee, WI

Abstract: A class of discrete-time nonlinear system and measurement equations having incrementally conic nonlinearities and finite energy disturbances is considered. A linear matrix inequality based resilient observer design approach is presented to guarantee the satisfaction of a variety of performance criteria ranging from simple estimation error boundedness to dissipativity in the presence of bounded perturbations on the gain. Some simulation examples are included to illustrate the proposed design methodology.

SECTION I.

Introduction

In recent years, many new nonlinear state observer design techniques have been developed: feedback linearization, variable structure, extended linearization, high gain observers and Lyapunov-based techniques, among others. In references,^{1,2,3} several feedback linearization techniques for a class of nonlinear systems are proposed. A variable structure technique is proposed in reference.⁴ Performance of several nonlinear state observation techniques are compared in.⁵ A design methodology for state estimation of nonlinear stochastic systems and measurement models with colored noise process is presented in reference.⁶ In,⁷ an extension is given of the variable structure observers to unbounded noise and measurement uncertainties. In,⁸ an adaptive extension of the slidingmode observer to state reconstruction of nonlinear systems with uncertainty having unknown bounds is presented. An extended linearization technique, a design method based on the family of linearizations of the system, parameterized by constant operating points for a single input and multiple output nonlinear system model is considered in⁹ High gain observers are introduced for nonlinear systems in.^{10,11} The Lyapunov-based observer design introduced in¹² for a class of nonlinear systems is extended and improved further by several researchers.^{13,14,15,16,17,18,19,20} These are only some of the major approaches to nonlinear observer design included due to space limitations.

In this paper, a novel design of resilient observers is introduced for discrete-time nonlinear systems with incrementally conic nonlinearities and finite energy type disturbances. An observer for which the closed-loop system is destabilized by a small perturbation in the observer gains is referred to as a "fragile" or "non-resilient" observer. Although, this problem was addressed in the gain margin studies in classical control, the topic has regained attention recently.^{21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36} Since more and more implementations of controllers and observers are done digitally, there are numerical round off errors in computation. Also, some implementations need manual tuning with obtaining the preferred performance of the observer system. For that reason, it is desired to design an observer that has tolerance to the readjustment of the gain coefficients.

In this work, an observer design method is presented to accommodate such perturbations in the gain where nonlinearities are allowed in both the state and the measurement equations and are more general than the Lipschitz type nonlinearity used in.^{12,13,14,15,16,17} Linear matrix inequality (LMI) techniques³⁰ are used as the main

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

mathematical tool. This result is a natural follow up to the LMI-based robust observer design method presented in³¹ for continuous-time uncertain nonlinear systems with integral quadratic constraints and its control counterpart of,³² which is the design of linear state feedback controllers for a class of continuous-time nonlinear systems with uncertain nonlinear dissipative dynamics in the feedback loop. This result is also generalization of the results in.³³ In the next section, the problem of nonlinear observer design according to various performance criteria is formulated. Then the LMI solutions are introduced in Section 3. Simulation examples presented in Section 4 provide validation for the theoretical results.

The following notation is utilized in this work: $x \in \mathbb{R}^n$ denotes an *n*-dimensional vector with real elements and with the associated norm $||x|| = (x^T x)^{\frac{1}{2}}$ where $(\cdot)^T$ represents the transpose. $A \in \mathbb{R}^{m \times n}$ denotes an $m \times n$ matrix with real elements. A^{-1} is the inverse of matrix A, A > 0 (A < 0) means A is a positive (negative) definite matrix, and I_m is an identity matrix of dimension $m\lambda_{max}(A)(\lambda_{min}(A))$ denotes the maximum(minimum) eigenvalue of a symmetric matrix A. ℓ_2 is the space of vector valued signals with finite energy. Rayleigh's inequalities for a symmetric matrix A will be used in this work. Also the following Schur complement results:

$$\begin{bmatrix} A & B \\ B_T & C \end{bmatrix} \ge 0 \Leftrightarrow (A - BC^{-1} \ B^T > 0 \text{ and}$$
$$C > 0) \Leftrightarrow (C - B^T \ A^{-1} \ B > 0 \text{ and } A > 0)$$

for suitably defined matrices will be used.

SECTION II.

Problem Formulation

Consider a state space representation of a non-linear system of the general form:

$$X_{k+1} = f(X_k, u_k, W_k), y_k = h(X_k, u_k, W_k)$$
(1)

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

where $x_k \in \mathbb{R}^n$ is the state to be estimated from knowledge of the control input $u_k \in \mathbb{R}^m$ and the measurement output $y_k \mathbb{R}^p \cdot w_k$ is an ℓ_2 disturbance input. The nonlinear functions f and h are assumed to be measurable functions of their arguments.

We assume the following incrementally conic condition on the nonlinearites:

$$\left\| \begin{bmatrix} F(e_{k}, w_{k}) \\ H(e_{k}, w_{k}) \end{bmatrix} \right\| \doteq \left\| \begin{bmatrix} f(x_{k}, u_{k}, w_{k}) - f(x^{k}, u_{k}, 0) - (Ae_{k} + Bw_{k}) \\ h(x_{k}, u_{k}, w_{k}) - h(x^{k}, u_{k}, 0) - (Ce_{k} + Dw_{k}) \end{bmatrix} \right\| \\ \leq \left\| A_{f} e_{k} + B_{f} w_{k} \right\|$$

$$(2)$$

for $e_k = x_k - \hat{x}_k$ for any two vectors $x_k, \hat{x}_k \in \mathbb{R}^n$ and for some matrices A, B, C, D, A_{f_i} and Bf. This describes in incremental terms the maximum deviation given by the right side of (2) of the nonlinearities F and H from the central linear system describing the error evolution

$$e_{k+1} = Ae_k + Bw_k, y_k = Ce_k + Dw_k$$

where (A, C) is a detectable pair. Note that vector functions *f* and *h* which are globally Lipschitz in their arguments used in [12]"[17] are special cases of incremental conicity defined in (2) with A=0, B=0, C=0 and D=0, where (A, C) is trivially detectable.

Let \hat{x}_k , the estimate of the true state, obey the following nonlinear Luenberger observer equation

$$\hat{x}_{k+1} = f(\hat{x}_k, u_k, 0) + (K + \Delta_k) (y_k - h(\hat{x}_k, u_k, 0))$$
(3)

where Δ_k represents the additive perturbation (due to computational or tuning errors) in the observer gain which is bounded as follows:

 $\Delta_k^T \Delta_k \leq rI$ for r > 0 and for all $k \geq 0$.

The dimension of Δ is identical to the dimension of the gain. Substituting from equations (1) – (3), adding and subtracting the same terms and then rearranging, we find that the error dynamics obey

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

$$e_{k+1} = f(x_k, u_k, w_k) - f(\hat{x}_k, u_k, 0) \pm (Ae_k + Bw_k) -(K + \Delta_k) \{h(x_k, u_k, w_k) - h(\hat{x}_k, u_k, 0) \pm (Ce_k + Dw_k)\} = (A - (K + \Delta_k)C)e_k + (B - KD)w_k +F(e_k, w_k) - (K + \Delta_k)H(e_k, w_k) = (A - KC)e_k + [I, -(K + \Delta_k)] \begin{bmatrix} Bw_k + F(e_k, w_k) \\ Dw_k + H(e_k, w_k) \end{bmatrix}$$
(4)

Let Z_k denote the performance output where

$$z_k = C_z e_k + D_z w_k \tag{5}$$

and consider the general performance objective

$$V_{k+1} - V_k + \delta \| z_k \|^2 + \epsilon \| w_k \|^2 - \beta z_k^T w_k \le 0$$
(6)

for an energy function $V_k = e_k^T P e_k$ where P > 0.

Notice that upon summation, inequality (6) yields

$$e_N^T P e_N \le e_0^T P e_0 - \sum_{k=0}^N (\delta |z_k||^2 + \in ||w_k||^2 - \beta z_k^T w_k)$$
(7)

or by using Rayleigh's inequalities, we obtain

$$\lambda_{min}(P) \| e_N \|^2 \le \lambda_{max}(P) \| e_0 \|^2 - \sum_{k=0}^{N} (\delta \| z_k \|^2 + \epsilon \| w_k \|^2 - \beta z_k^T w_k)^{(8)}$$

that allows several optimization possibilities in a unified eigenvalue problem³⁰ framework. We can design different observers for a variety of performance criteria for this class of systems.

First of all, in the absence of noise $w_k \equiv 0, k \ge 0$ if we take $\delta = 0, \beta = 0$, and $\in =0, (8)$ yields

$$\parallel e_N \parallel^2 \leq \frac{\lambda_{max}(P)}{\lambda_{min}(P)} \parallel e_0 \parallel^2$$

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

This means that by minimizing λ_{max} (*P*) and maximizing λ_{min} (*P*), we can lower the bound on the norm of the estimation error, which will guarantee a faster response for the observer. Note that this implies boundedness of the estimation error (stability).

By taking $\delta > 0$, $\beta = 0$, and $\epsilon = 0$, (8) will yield a bound on the energy of the performance output in terms of the initial estimation error e_0

$$\sum_{k=0}^{N} \parallel z_k \parallel^2 \leq \frac{1}{\delta} \lambda_{max}(P) \parallel e_0 \parallel^2$$

Minimizing λ_{max} (*P*) and maximizing δ will give us a smaller bound on the energy of the performance output. This is suboptimal H_2 observer.³⁰

In the noisy case, by setting $\delta=1$, $\beta=0$, and, $\epsilon<0$ for $e_0=0$, gives the result

$$\sum_{k=0}^N \parallel z_k \parallel^2 \leq - \in \sum_{k=0}^N \parallel w_k \parallel^2$$

which means a bound on the ℓ_2 to ℓ_2 gain of the estimator (Suboptimal H_{∞} observer). Maximizing \in will minimize the energy of the performance output.

When $e_0 = 0$, if we use this formulation, we can design several dissipative controllers by using different values of $\delta_i \beta_i$ and \in .

If we take $\delta = 0, \beta = 1$, and, $\epsilon > 0$, it yields the input strict passivity result:

$$\sum_{k=0}^N z_k^T w_k \ge \in \sum_{k=0}^N \parallel w_k \parallel^2$$

Maximizing \in will maximize the lossy nature of this observer.

Similarly, other dissipativity results can be obtained by changing δ,β , and \in values. For example, taking $e_0 = 0 \delta = 0, \beta = 1$, and $\in = 0$ gives passivity

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

$$\sum_{k=0}^{N} z_k^{T} w_k \ge 0$$

If we set $\delta > 0, \beta = 1$, and $\in = 0$, we get output strict passivity:

$$\sum_{k=0}^N {z_k}^T w_k \geq \delta \sum_{k=0}^N \parallel z_k \parallel^2$$

Very strict passivity, which is the strict passivity both in the terms of the input and the output, can be obtained if we set $\delta > 0, \beta = 1$, and $\epsilon > 0$:

$$\sum_{k=0}^{N} z_k^T w_k \ge \in \sum_{k=0}^{N} \| w_k \|^2 + \delta \sum_{k=0}^{N} \| Z_k \|^2$$

Again maximizing \in and δ will maximize the dissipative nature of the observer.

Therefore, this LMI formulation enables us to design different observers according to a variety of performance criteria in a common framework.

SECTION III.

LMI Solution

Let us first consider the case where there is no noise with B=0, D=0, $B_f=0$, $D_Z=0$, $\in=0$ and $\beta=0$. Substituting for the terms in inequality (6), we obtain

$$\left\{ (A - (K + \Delta_k)C)e_k + [I, -(K + \Delta_k)] \begin{bmatrix} F(e_k) \\ H(e_k) \end{bmatrix} \right\}^T$$

$$\times P \left\{ (A - (K + \Delta_k)C)e_k + [I, -(K + \Delta_k)] \begin{bmatrix} F(e_k) \\ H(e_k) \end{bmatrix} \right\}$$

$$-e_k^T P e_k + \delta e_k^T C_Z^T C_Z e_k \le 0$$

$$(9)$$

The following is true for any a > 0

$$e_{k}^{T}P[I,(K+\Delta_{k})]\begin{bmatrix}F\\H\end{bmatrix} + [F^{T},H^{T}]\begin{bmatrix}I\\-(K+\Delta_{k})^{T}\end{bmatrix}Pe_{k}$$

$$\leq \alpha e_{k}^{T}P[I,(K+\Delta_{k})]\begin{bmatrix}I\\-(K+\Delta_{k})^{T}\end{bmatrix}Pe_{k} + \alpha^{-1}[F^{T},H^{T}]\begin{bmatrix}F\\H\end{bmatrix}$$

$$\leq \alpha e_{k}^{T}P(I+(K+\Delta_{k})(K+\Delta_{k})^{T})Pe_{k} + \alpha^{-1}(A_{f}e + B_{f}w)^{T}(A_{f}e + B_{f}w)$$
(10)

where we have used (2).

Using (10), a sufficient condition for (9) is

$$e_{k}^{T}[(P - \delta C_{Z}^{T}C_{Z} - \alpha A_{f}^{T}A_{f}) - (A - (K + \Delta_{k})C)^{T} \times (P - \alpha^{-1}P(I + (K + \Delta_{k})(K + \Delta_{k})^{T})P)^{-1}P(A - (K + \Delta_{k})C)]e_{k} \ge 0$$
(11)

Using the Schur complement result given in the introduction twice for the quadratic terms in (11), we obtain the following sufficient condition for (9):

$$Q = \begin{bmatrix} q_{11} & q_{12} & q_{13} & q_{14} \\ * & q_{22} & q_{23} & q_{24} \\ * & * & q_{33} & q_{34} \\ * & * & * & q_{44} \end{bmatrix} \ge 0$$
(12)

for

$$q_{11} = P - \delta C_z^T C_z - \alpha A_f^T A_f, q_{12} = A^T P - C^T Y^T - C^T \Delta_k^T P$$

$$q_{13} = 0, q_{14} = 0, q_{22} = P, q_{23} = P, q_{24} = -Y - P \Delta_k,$$

$$q_{33} = q_{44} = \alpha I, q_{34} = 0$$

for *Y*=*PK*By arranging (12)

$$\begin{bmatrix} P - \delta C_z^T C_z - \alpha A_f^T A_f & A^T P - C^T Y^T & 0 & 0 \\ & * & P & P & -Y \\ & * & & * & \alpha I & 0 \\ & * & & & * & \alpha I \end{bmatrix}_{(13)}$$

$$\geq \begin{bmatrix} 0 & C^T \Delta_k^T P & 0 & 0 \\ & * & 0 & 0 & P \Delta_k \\ & * & * & 0 & 0 \\ & * & * & * & 0 \end{bmatrix}$$

and from

$$[0\Delta_{k}^{T}P00]^{T}[C00I] + [C00I]^{T}[0\Delta_{k}^{T}P00] \\ \leq [0\Delta_{k}^{T}P00]^{T}[0\Delta_{k}^{T}P00] + b^{-1}[C00I]^{T}[C00I]$$

for any b>0, we can derive the upper bound of the right hand side of (13). By replacing the right hand side of (13) with the upper bound, and by substituting $b=r^{-1}$, and using Schur's complement on the resulting matrices, we obtain

$$\begin{bmatrix} P - \delta C_z^T C_z - \alpha A_f^T A_f - r C^T C & A^T P - C^T Y^T & 0 & -r C^T & 0 \\ & * & P & P & -Y & P \\ & * & * & \alpha I & 0 & 0 \\ & * & * & * & (\alpha - r)I & 0 \\ & * & * & * & 0 & I \end{bmatrix} \ge 0 (14)$$

The LMI (14) needs to be solved for *P*>0, *Y* and *r*>0 in the non-noisy case and *K* is found from $K=P^{-1}Y$

In the presence of noise, (6) yields

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

$$\begin{cases} (A - KC)e_k + [I, -(K + \Delta_K)] \begin{bmatrix} Bw_k + F(e_k, w_k) \\ Dw_k + H(e_k, w_k) \end{bmatrix} \end{bmatrix}^T \\ \times P\left\{ (A - KC)e_k + [I, -(K + \Delta_k)] \begin{bmatrix} Bw_k + F(e_k, w_k) \\ Dw_k + H(e_k, w_k) \end{bmatrix} \right\}$$
(15)
$$-e_k^T Pe_k + \delta(C_z e_k + D_z w_k)^T (C_z e_k + D_z w_k) + \varepsilon w_k^T w_k - \beta(C_z e_k + D_z w_k)^T w_k \le 0$$

Using inequality (10) in a similar manner, a sufficient condition for (13) to hold is given by

$$\begin{bmatrix} e_k^T & w_k^T \end{bmatrix} \begin{bmatrix} r_{11} & r_{12} \\ * & r_{22} \end{bmatrix} \begin{bmatrix} e_k \\ w_k \end{bmatrix} \ge 0 \quad (16)$$

for $\alpha > 0$, where

$$\begin{split} r_{11} &= P - \delta C_z^{\ T} C_Z - \alpha A_f^{\ T} A_f - (A - (K + \Delta_k)C)^T \\ &\times P(P - \alpha^{-1}P(I + (K + \Delta_k)(K + \Delta_k)^T)P)^{-1}P(A - (K + \Delta_k)C) \\ r_{12} &= -\delta C_z^{\ T} D_z + \frac{\beta}{2} C_z^{\ T} - \alpha A_f^{\ T} B_f - (A - (K + \Delta_k)C)^T \\ &\times P(P - \alpha^{-1}P(1 + (K + \Delta_k)(K + \Delta_k)^T)P)^{-1}P(B - (K + \Delta_k)D) \\ r_{22} &= -\delta D_z^{\ T} D_z - \epsilon I + \frac{\beta}{2} (D_z^{\ T} + D_Z) - \alpha B_f^{\ T} B_f - (B - (K + \Delta_k)D)^T \\ &\times P(P - \alpha^{-1}P(1 + (K + \Delta_k)(K + \Delta_k)^T)P)^{-1}P(B - (K + \Delta_k)D)^T \end{split}$$

By using the Schur complement twice, we obtain

$$S = \begin{bmatrix} s_{11} & s_{12} & s_{13} & s_{14} & s_{15} \\ * & s_{22} & s_{23} & s_{24} & s_{25} \\ * & * & s_{33} & s_{34} & s_{35} \\ * & * & * & s_{44} & s_{45} \\ * & * & * & * & s_{55} \end{bmatrix} \ge 0 (17)$$

for

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

$$\begin{split} s_{11} &= P - \delta C_z^{\ T} C_z - \alpha A_f^{\ T} A_f, \\ s_{12} &= -\delta C_z^{\ T} D_z + \frac{\beta}{2} C_z^{\ T} - \alpha A_f^{\ T} B_f, \\ s_{13} &= A^T P - C^T Y^T - C^T \Delta_k^{\ T} P, s_{33} = s_{34} = P, \\ s_{14} &= s_{15} = s_{24} = s_{25} = s_{45} = 0, s_{44} = s_{55} = \alpha I \\ s_{22} &= -\delta D_z^{\ T} D_z - \epsilon I + \frac{\beta}{2} (D_z + D_z^{\ T}) - \alpha B_f^{\ T} B_f \\ s_{23} &= B^T P - D^T Y^T - D^T \Delta_k^{\ T} P, s_{35} = Y - P \Delta_k \\ \text{where } Y = P K. \end{split}$$

Then, by proceeding in a similar manner to the non-noisy case, leads to

$$SN = \begin{bmatrix} sn_{11} & sn_{12} & sn_{13} & sn_{14} & sn_{15} & sn_{16} & sn_{17} \\ * & sn_{22} & sn_{23} & sn_{24} & sn_{25} & sn_{26} & sn_{27} \\ * & * & sn_{33} & sn_{34} & sn_{35} & sn_{36} & sn_{37} \\ * & * & * & sn_{44} & sn_{45} & sn_{46} & sn_{47} \\ * & * & * & * & sn_{55} & sn_{56} & sn_{57} \\ * & * & * & * & * & sn_{66} & sn_{67} \\ * & * & * & * & * & sn_{76} & sn_{77} \end{bmatrix} \ge 0$$

for

$$sn_{11} = P - \delta C_z^T C_z - \alpha A_f^T A_f - r C^T C,$$

$$sn_{12} = -\delta C_z^T D_z + \frac{\beta}{2} C_z^T - \alpha A_f^T B_f - C^T D,$$

$$s_{13} = A^T P - C^T Y^T, s_{15} = -r C^T$$

$$sn_{14} = sn_{16} = sn_{17} = sn_{24} = sn_{25} = sn_{27}$$

$$= sn_{45} = sn_{46} = sn_{47} = sn_{56} = sn_{57} = sn_{67} = 0,$$

$$sn_{22} = -\delta D_z^T D_z - \epsilon I + \frac{\beta}{2} (D_z + D_z^T) - \alpha B_f^T B_f$$

$$sn_{23} = B^T P - D^T Y^T, sn_{26} = P, sn_{33} = P - r D^T D,$$

$$sn_{34} = P, sn_{35} = Y, sn_{36} = 0, sn_{37} = P, sn_{44} = \alpha I$$

$$sn_{55} = (\alpha - r)I, sn_{66} = sn_{77} = I,$$
(18)

The LMI (18) needs to be solved for P>0, Y and r>0 in the non-noisy case and K is found from $K=P^{-1}Y$

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

The above development is summarized in the following theorem:

Theorem:

Given the nonlinear system and measurement scheme in (1) and (2) where $w_k \in \ell_2$, the use of the observer (3) leads to the satisfaction of the general performance objective (6) for z_k given by (5) if LMIs (14) and (18) are feasible, respectively for the non-noisy $(w_k \equiv 0, k \ge 0)$ and noisy cases, for P > 0, Y and r > 0. The necessary gain is found from $K = P^{-1} Y$

Remark:

The magnitude of maximum perturbation that the designed observer can tolerate for any directions can be calculated from (14) for non-noisy case, and (18) for additive noise case. However, the actual magnitude of the perturbation as a function of the direction can be calculated from (12) and (17) for the noisy-free and noisy cases, respectively.

SECTION IV.

Illustrative Examples

Chaotic synchronization is chosen to demonstrate one of the possible applications of the proposed observer design. Chua's circuit³⁷ has become almost a benchmark for design involving chaotic systems because of its strong nonlinear dynamical behavior. The discretized (with sampling time *T*=0.01 sec) version of the example in³⁸ is chosen for this demonstration. The simulation is done for the case of boundedness of the estimation error. The state and measurement equation of this model in³⁷ is written as follows:

$$\begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} = \begin{bmatrix} -\alpha_c & \alpha_c & 0 \\ 1 & -1 & 1 \\ 0 & -\beta_c & -\mu \end{bmatrix} \cdot \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} - \begin{bmatrix} \alpha_c f(x_1) \\ 0 \\ 0 \end{bmatrix}$$
(19)
$$y = \begin{bmatrix} 111 \end{bmatrix} \cdot \begin{bmatrix} x_1 x_2 x_3 \end{bmatrix}^T$$
where $f(x_1) = bx_1 + 0.5(a_n - b_n)(|x_1 + 1| - |x_1 - 1|).$

and we use the following parameters in the simulation with a randomly chosen initial state:

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

$$\alpha_c = 9.1, \beta_c = 16.5811, \mu = 0.138083, a_n = -1.39386, b_n = -0.75590$$

' $A_f = 0.0094, C_z = [100], \text{ and } \alpha = 0.3.$

For the given system and the performance criterion, the observer gain from LMI (14) is found to be: $K = [0.7798, 1.4067, 4.5295]^{T}$ with $\sqrt{\gamma} = 0.2062$ which is the maximum bound on the perturbation for which (14) holds. With this obtained gain, the LMI (12) is solved for individual $\Delta = \Omega^{*}[\cos \varphi \cos \theta, \sin \varphi \cos \theta, \sin \theta]^{T}$ to calculate the magnitude Ω of the actual (constant) perturbation. This value varies according to the changes in the direction of perturbation. ϕ and θ are the angles from the horizontal and vertical axes, respectively. To obtain a more detailed picture of the magnitude of the perturbation with respect to the direction, the computations of Ω in LMI (12) were conducted for $0 \le \phi, \theta \le 360^{\circ}$ with an increment of 2°. Magnitudes of allowable perturbations in the observer gain for various ϕ and θ values are depicted in Fig. 1. From this figure, the minimum over these ranges of angles of the maximum allowable perturbations is found to be 0.206235 which is very close to the value of $\sqrt{\gamma} = 0.2062$ found from (14), therefore the conservatism introduced when going from (12) to (14) in the derivation has been kept to a minimum and the sufficient conditions are close to being necessary also.



Fig. 1. Magnitude of perturbations for different Φ and θ .

The maximum constant gain perturbation magnitude found from (12) for system (19) is: $\Delta = 2.6679^* [\cos 74^\circ \cos 74^\circ, \sin 74^\circ \cos 74^\circ, \sin 74^\circ]^T$ and this perturbation is applied for the simulation.

The simulation results involving co-plots of state variables together with their estimates (Fig.s 2(a)-(c)) and the norm of the error vector (Fig. 2(d)) show that the proposed observer is able to estimate the state successfully.

The calculated gain and perturbation are applied to the system in (17), with the observer equation (3).



Fig. 2. Plots of state variables, their estimates and the norm of the error vector vs. time (sec).

Fig.s 3(a)-(c) are included to clearly depict the transient response of the observer state variable estimates. Fig. 4 not only indicates that the original system shows chaotic behavior, but also that the suggested observer successfully estimates the state.



Fig. 3. Plots of state variables, their estimates and the norm of the error vector vs. time (sec)



Fig. 4. Three-Dimensional plots of state variables and their estimates.

SECTION V.

Conclusions

A resilient discrete-time observer design procedure based on linear matrix inequalities has been presented for a class of nonlinear system and measurement models. A common framework is provided to design observers according to a variety of performance criteria. The results of a chaotic synchronization simulation illustrate the effectiveness of the proposed methodology.

References

- ¹D. Bestle, M. Zeitz, "Canonical form observer design for nonlinear time-variable systems", *Int. J. Control*, vol. 38, pp. 419-431, 1983.
- ²A. Isidori, Nonlinear Control Systems: An Introduction, Berlin:Springer Verlag, 1985.
- ³A. J. Krener, W. Respondek, "Nonlinear observer with linearizable error dynamics", *SIAM J. Control* & *Optim*, vol. 23, pp. 197-216, 1985.
- ⁴B. L. Walcott, S. H. Zak, "State observation of nonlinear uncertain dynamical systems", *IEEE Trans. Autom. Contr.*, vol. 32, pp. 166-170, 1987.
- ⁵J B. L. Walcott, M. J. Corless, S.H. Zak, "Comparative study of non-linear state-observation technique", *Int. J. Control*, vol. 45, pp. 2109-2132, 1987.

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

- ⁶E. Yaz, A. Azemi, "Variable structure observer with a boundary-layer for correlated noise/disturbance models and disturbance minimization", *Int. J. Control*, vol. 57, no. 5, pp. 1191-1206, 1993.
- ⁷E. Yaz, A. Azemi, "Sliding mode observer for nonlinear models with unbounded noise and measurement uncertainties", *Dynamics and Control*, vol. 3, pp. 217-235, 1993.
- ⁸A. Azemi, E. E. Yaz, "Sliding-mode adaptive observer approach for chaotic synchronization", *ASME J. Dyn. Sys. Meas. & Contr*, vol. 122, pp. 758-765, 2000.
- ⁹W. Baumann, W. Rugh, "Feedback control of non-linear systems by extended linearization", *IEEE Trans. Autom. Contr.*, vol. 31, pp. 40-47, 1986.
- ¹⁰G. Bornard, H. Hammouri, "A high gain observer for a class of uniformly observable systems", *Proc. of 30th IEEE CDC*, pp. 1494-1496, 1991.
- ¹¹J. P. Gauthier, H. Hammouri, S. Othman, "A simple observer for nonlinear system applications to bioreactors", *IEEE Trans. on Automatic Control*, vol. 37, no. 6, pp. 875-880, 1992.
- ¹²F. E. Thau, "Observing the state of non-linear dynamic systems", *Int. J. Control*, vol. 18, pp. 471-479, 1973.
- ¹³S. R. Kou, D.L. Elliot, T.J. Tarn, "Exponential observer for nonlinear dynamic systems", *Inform. Control*, vol. 29, pp. 504-509, 1980.
- ¹⁴M. Vidyasagar, "On the stabilization of nonlinear systems using state detection", *IEEE Trans. Autom. Control*, vol. 25, pp. 504-509, 1980.
- ¹⁵E. Yaz, A. Azemi, "Observer design for discrete and continuous non-linear stochastic systems", *Int. J. System. Sci.*, vol. 24, no. 12, pp. 2289-2302, 1993.
- ¹⁶S. Raghavan, J. K. Hedrick, "Observer design for a class of nonlinear systems Int", *J. of Control*, vol. 59, no. 2, pp. 515-528, 1994.
- ¹⁷R. Rajamani, "Observers for Lipschitz nonlinear systems", *IEEE Trans. on Automatic Control*, vol. 43, no. 3, pp. 397-401, 1998.
- ¹⁸A. Zemouche, M. Boutayeb, G. I. Bara, "Observer design for a class of nonlinear time-delay systems", *Proc. of ACC*, pp. 1676-1681, 2007.
- ¹⁹E. E. Yaz, C. S. Jeong, A. Bahakeem, Y. I. Yaz, "Discrete-Time nonlinear observer design with general criteria", *Journal of Franklin Institute*, vol. 344, pp. 918-928, 2007.
- ²⁰T. Menard, E. Moulay, W. Perruquetti, "A Global High-Gain Finite-Time Observer", *IEEE Trans. on Automat. Control*, vol. 55, pp. 1500-1506, 2010.
- ²**1**L. H. Keel, S. P. Bhattacharyya, "Robust fragile or optimal?", *IEEE Trans. on Automat. Control*, vol. 42, pp. 11098-1105, 1997.
- ²²A. Jadbabaie, C. T. Abdallah, D. Famularo, P. Dorato, "Robust non-fragile and optimal controller design via linear matrix inequalities", *Proc. of ACC*, pp. 2832-2836, June1998.
- ²³P. Dorato, "Non-fragile controller design: an overview", *Proc. of ACC*, pp. 2829-2831, June 1998.
- ²⁴L. H. Keel, S. P. Bhattacharyya, "Stability margins and digital implementation of controllers", *Proc. of ACC*, pp. 2852-28566, June 1998.
- ²⁵D. Famularo, C. T. Abdallah, A. Jadbabaie, P. Dorato, W. H. Haddad, "Robust non-fragile LQ controllers: the static feedback case", *Proc. of ACC*, pp. 1109-1113, June 1998.

²⁰¹¹ IEEE International Conference on Control Applications (CCA), (2011): pg. 1157-1162. DOI. This article is © Institute of Electrical and Electronics Engineers (IEEE) and permission has been granted for this version to appear in <u>e-Publications@Marquette</u>. Institute of Electrical and Electronics Engineers (IEEE) does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Institute of Electrical and Electronics Engineers (IEEE).

- ²⁶C.S. Jeong, E. E. Yaz, Y. I. Yaz, "Resilient design of discrete-time observers with general criteria using LMIs", *Proc. of IEEE Int. Conf. on Control Applications*, pp. 1416-1419, 2003.
- ²⁷E. E. Yaz, C.S. Jeong, M. Alotaibi, "Resilient design of Thau's observer using LMIs", *Proc. of ACC*, vol. 4, pp. 3482-3483, July2004.
- ²⁸Y.S. Jeong, S.K. Sul, S.E. Schulz, N.R. Patel, "Fault detection and fault-tolerant control of interior permanent-magnet motor drive system for electric vehicles", *IEEE Trans. on Industry Applications*, vol. 41, pp. 46-51, 2005.
- ²⁹E. E. Yaz, C.S. Jeong, Y. I. Yaz, "An LMI approach to discrete-time observer design with stochastic resilience", *Journal of Computational and Applied Mathematics*, 2005.
- ³⁰S. Boyd, L. E. Ghaoui, E. Feron, V. Balakrishnan, "Linear Matrix Inequalities In System and Control Theory" in SIAM Studies in Applied Mathematics, SIAM, Philadelphia:, 1994.
- ³¹E. E. Yaz, Y. I. Yaz, "LMI-based observer design for nonlinear systems with integral quadratic constraints", *Proc. of IEEE CDC*, pp. 2954-2955, 2001.
- ³²C. S. Jeong, E. E. Yaz, Y. I. Yaz, "State feedback control design with dissipative performance criteria using LMI", *Proc. of Allerton Conf. on Communication and Control and Computing*, pp. 305-314, 2002.
- ³³C. S. Jeong, E. E. Yaz, A. Bahakeem, Y. J. Yaz, "Nonlinear observer design with general criteria", *International Journal of Innovative Computing Information and Control*, vol. 2, no. 4, pp. 693-704, 2006.
- ³⁴C. Lien, *Chaos Solitons & Fractals*, vol. 34, no. 2, pp. 428-436, 2007.
- ³⁵R. Lin, F.W. Yang, Q. G. Chen, " Design of robust non-fragile H ∞ controller based on Delta operator theory ", *Journal of Control Theory and Applications*, vol. 5, no. 4, pp. 123-127, 2007.
- ³⁶H. Meng, X. Lv, X. Wu, Y. Li, "Non-Fragile H ∞ Observer-Based Control for Continuous Time-Delay Uncertain Systems ", *International Conference on Computational Intelligence and Software Engineering*, pp. 1-4, 2009.
- ³⁷L. Chua, C. Wu, A. Hung, G. Zhong, "A universal circuit for studying and generating chaos-part I : routes to chaos", *IEEE Trans. Circuits Syst. I: Fundam. Theory Appl.*, vol. 40, pp. 732-744, 1993.
- ³⁸A. Azemi, E. Yaz, "Sliding mode adaptive observer approach to chaotic synchronization with application to secure communications", *Journal of Dynamic Systems Measurement and Control*, vol. 122, pp. 758-765, 2000.