

Marquette University

e-Publications@Marquette

College of Nursing Faculty Research and
Publications

Nursing, College of

8-2013

Physical Activity Parenting Measurement and Research: Challenges, Explanations, and Solutions

Kirsten K. Davison
Harvard University

Louise C. Mâsse
University of British Columbia

Anna Timperio
Deakin University

Marilyn Frenn
Marquette University College of Nursing, marilyn.frenn@marquette.edu

Julie Saunders
University of Western Australia

See next page for additional authors

Follow this and additional works at: https://epublications.marquette.edu/nursing_fac



Part of the [Nursing Commons](#)

Recommended Citation

Davison, Kirsten K.; Mâsse, Louise C.; Timperio, Anna; Frenn, Marilyn; Saunders, Julie; Mendoza, Jason A.; Gobbi, Erica; Hanson, Phillip; and Trost, Stewart G., "Physical Activity Parenting Measurement and Research: Challenges, Explanations, and Solutions" (2013). *College of Nursing Faculty Research and Publications*. 369.

https://epublications.marquette.edu/nursing_fac/369

Authors

Kirsten K. Davison, Louise C. Mâsse, Anna Timperio, Marilyn Frenn, Julie Saunders, Jason A. Mendoza, Erica Gobbi, Phillip Hanson, and Stewart G. Trost

Physical Activity Parenting Measurement and Research: Challenges, Explanations, and Solutions

Kirsten K. Davison, PhD, Louise C. Mâsse, PhD, [...], and Stewart G. Trost, PhD

Abstract

Physical activity (PA) parenting research has proliferated over the past decade, with findings verifying the influential role that parents play in children's emerging PA behaviors. This knowledge, however, has not translated into effective family-based PA interventions. During a preconference workshop to the 2012 International Society for Behavioral Nutrition and Physical Activity annual meeting, a PA parenting workgroup met to: (1) Discuss challenges in PA parenting research that may limit its translation, (2) identify explanations or reasons for such challenges, and (3) recommend strategies for future research. Challenges discussed by the workgroup included a proliferation of disconnected and inconsistently measured constructs, a limited understanding of the dimensions of PA parenting, and a narrow conceptualization of hypothesized moderators of the relationship between PA parenting and child PA. Potential reasons for such challenges emphasized by the group included a disinclination to employ theory when developing measures and examining predictors and outcomes of PA parenting as well as a lack of agreed-upon measurement standards. Suggested solutions focused on the need to link PA parenting research with general parenting research, define and adopt rigorous standards of measurement, and identify new methods to assess PA parenting. As an initial step toward implementing these recommendations, the workgroup developed a conceptual model that: (1) Integrates parenting dimensions from the general parenting literature into the conceptualization of PA parenting, (2) draws on behavioral and developmental theory, and (3) emphasizes areas which have been neglected to date including precursors to PA parenting and effect modifiers.

Introduction

As summarized in a series of recent reviews,¹⁻⁶ a rapidly accumulating body of research illustrates the positive influence of physical activity (PA) parenting practices on children's emerging PA behaviors. This knowledge, however, has not translated into effective family-based PA interventions.⁷ The observed research-to-practice gap may be explained in part by imprecise measurement of PA parenting. Measures of PA parenting practices are frequently of indeterminate validity and reliability, are developed in the context of a specific study with limited generalizability, and are poorly documented with little information on the origin of survey items or the survey's psychometric properties.⁸ The resulting plethora of inconsistently defined and measured PA parenting practices provides little guidance on the specific parenting behaviors to target in family interventions promoting child PA.

During a preconference session to the 2012 International Society for Behavioral Nutrition and Physical Activity annual meeting, 21 experts in PA parenting met to review and discuss the observed challenges in PA parenting measurement and identify potential remedies. This article summarizes the discussions that took place. For the purposes of the workgroup meeting and the summary below, PA parenting practices were defined as behavioral strategies employed by parents to socialize children's PA, such as taking children to venues where they can be active and arranging family activities that include PA. Parenting practices adopted in the context of youth sport were not included in this definition because parenting goals in youth sport are likely to differ from those in day-to-day interactions around lifestyle PA.

Challenges to the Measurement of PA Parenting

Challenges to the measurement of PA parenting identified by the workgroup included: (1) Lack of consistency and rigor in the operationalization of PA parenting, (2) limited understanding of its dimensions and contextual sequelae, and (3) a narrow perspective on potential moderators of the relationship between PA parenting practices and child PA.

As documented in two recent reviews of PA parenting measures,^{8,9} a significant percentage of studies use measures of indeterminate reliability and validity. Up to 40% of studies do not cite any evidence of a scale's reliability and validity, and many studies use modified instruments whose psychometric properties are unknown.⁸ The result is an expansive list of confusing and disconnected PA parenting practices that are poorly defined and measured and inconsistently labeled, using terms such as modeling, explicit modeling, facilitation, logistic support, encouragement, general support, and guiding support. The implication is that, although we know that PA parenting is important for promoting active lifestyles in children, the specific approaches that parents should adopt remain unclear.

A poor understanding of PA parenting dimensions and their contextual sequelae, the second noted challenge in PA parenting measurement, is likely a reflection of its junior status. By comparison, food parenting research, which exhibits richer and more rigorous operationalization of food parenting and its subdimensions, has a longer and more established history. Moreover, developmental psychologists who bring with them a firm

understanding of parenting research and its theoretical foundation have gravitated to food parenting research but are infrequently represented in PA parenting. The implication is that much less is known about the breadth and dimensionality of PA parenting compared with food parenting. In fact most PA parenting measures are unidimensional, with a broad compilation of parenting practices summarized into a single score.¹⁰

In addition to a lack of dimensionality, it is generally assumed that PA parenting is synonymous with support and has positive effects on children's PA attitudes and behaviors. There is reason to believe, however, that PA parenting can have both positive and negative implications for children. In a recent qualitative study, girls reported feeling forced by their parents to be active (e.g., "She tells me to go outside and play with my sister") and that a decrease in forced support would improve parental support overall.¹¹ Similarly, results from a longitudinal study of young girls found that girls whose parents encouraged them to be physically active for the purpose of weight loss reported subsequent decreases in enjoyment of PA and increases in concern about their weight¹²; they did not, however, exhibit changes in PA.¹² A handful of surveys have included items assessing negative PA parenting practices,¹³ but such practices have not been rigorously operationalized further, compounding the dominance of positive PA parenting practices in the literature.

A third observed challenge is the limited assessment of moderators of the PA parenting–child PA relationship; effect modification has generally been limited to parent and child gender and weight.^{14–16} The absence of nuanced information on which PA parenting practices are effective for whom and under what circumstances limits the ability to target interventions to individual needs. Additional moderators to consider include family composition, child temperament, child age, family demographics, cultural and national context, and parenting style. In addition to considering a broader range of moderators, research on contextual factors, such as neighborhood safety, social capital, workplace policies, school PA policies, and parents' own family background, is also needed.

Potential Explanations for the Noted Challenges

The indiscriminate approach to the measurement and conceptualization of PA parenting may be explained in part by a disinclination to employ theory to structure scale development. As noted by Cronbach and Meehl,¹⁷ establishing the construct validity of a scale requires investigators to (1) articulate a set of theoretical concepts and their interrelations, (2) develop ways to measure the constructs outlined by the theory, and (3) test the hypothesized relations. Thus, without a theory there is no construct validity.¹⁸ It is worth noting that grounded theory, which emerges from inductive inquiry, is also an appropriate base from which to establish a scale's construct validity. It is important, however, that the constructs emerging from grounded theory are clearly defined and compared with existing definitions and theories.

Most PA parenting measures are not theory based. Exceptions include the Perceived Autonomy Support Scale for Exercise Settings,¹⁹ which draws on self-determination theory, the Social Influence on Exercise scale, which was developed using operant and social learning theories,¹³ and the Athletic Identity Questionnaire,^{20,21} which is based on the Identity Process Model. Theory is also underutilized in the assessment of determinants and outcomes of PA parenting and when postulating potential moderators. Here theories such as social cognitive theory,²² ecological system theory,²³ self-determination theory,²⁴ the youth PA promotion model,²⁵ and the value expectancy model²⁶ could prove useful.

Progress in PA parenting research has also been hindered by the absence of agreed-upon measurement standards.⁸ Citing the use of a scale by another study as evidence of the scale's reliability and validity, rather than studies with published evidence supporting a scale's psychometric properties, has become common practice in PA parenting research. Comprehensive and multidimensional measures of PA parenting that have evidence of factorial validity, factorial invariance, and sensitivity to change are needed.^{8,9}

Future Recommendations

Solutions to these challenges and recommendations for future research discussed by the workgroup focused on the need to: (1) Build on parenting research and create the potential to link PA parenting with food parenting research through common constructs, (2) use existing theoretical and conceptual models to consolidate prior research and frame future research, (3) specify and promote recommended practices for rigorous scale development, and (4) develop and adopt objective measures PA parenting.

Food parenting research has successfully built on decades of parenting research. As a result, recent measures of food parenting are aligned with documented parenting dimensions including the following^{27–29}: (1) *Responsiveness*, or the extent to which parents foster child individuality and self-assertion through the use of warmth, autonomy support, and reasoned communication (referred to as child-centered practices); (2) *control or demandingness*, where parents exert influence over children through directive, restrictive, and punitive parenting practices with the goal of forcing children to meet parent demands (referred to as parent-centered practices); and (3) *structure*, whereby parents organize children's social and physical environments to facilitate the development of competence. Parenting dimensions are distinct from parenting styles, or the emotional climate within which child socialization takes place. Parenting styles reflect the interaction between parenting dimensions, most notably demandingness and responsiveness.³⁰ For example, an authoritative parenting style is characterized by high demandingness and high

Workgroup members emphasized the need to integrate parenting dimensions into PA parenting research to encourage broader conceptualization of PA parenting, foster consistent terminology, and create the potential to align PA and food parenting research. To begin this process, workgroup members organized PA parenting practices referenced in the literature alongside the dimensions of responsiveness, demandingness and structure, supplemented with additional examples developed by the group (see [Table 1](#)). To illustrate, PA parenting practices that could reflect structure include planning and leading family activities involving PA, enrolling children in organized PA, taking children to recreational venues where they can be active, helping children master the skills necessary to be successful in PA, and providing PA-related equipment. New scales developed to reflect this broader view of PA parenting and its dimensionality will, of course, need to undergo a rigorous developmental process.

Table 1.

Examples of Physical Activity Parenting Practices for Each Parenting Domain

Beyond rigorous standards for scale development, Mâsse and Watts³⁹ highlight the need to develop alternate methods for operationalizing PA parenting that avoid the common pitfalls of self-report surveys (*e.g.*, social desirability bias) and improve the predictive validity of PA parenting measures.^{10,39} Developing measures that can reduce bias, or using methods that can account for the error introduced, will be important to move the field forward. Although alternate methods may be difficult to identify for many of the parenting dimensions and practices listed in [Table 1](#), some may be ideally suited for objective methods. For example, advances in accelerometry make it possible to objectively assess co-participation through the integration of additional sensors (*e.g.*, Global Positioning System). In addition, while focused on parenting quality rather than parenting practices, a recent study by Sebire and Jago⁴⁰ illustrates an objective method of measuring parenting through observations of parent-child interactions. Another method to explore is ecological momentary assessment (EMA), which involves the collection of electronic data in real time.⁴¹

Finally, Mâsse and Watts³⁹ recommend the development of item banks that act as repositories of validated items that are calibrated with advanced psychometrics (*e.g.*, item response theory). Calibrated item banks allow researchers to select items to measure parenting practices while building capacity for cross-study comparisons. Calibrated PA parenting item banks can also serve as a stepping stone for computerized adaptive testing, a form of testing that selects questions based on respondent answers and can reduce respondent burden while maintaining a measure's reliability and validity.

Conclusion

Interest in PA parenting research has increased precipitously since 2006,^{1–4,9} but methodological challenges inherent in this work limit its potential utility and impact. As recommended by the PA parenting workgroup, future research could address such concerns by establishing rigorous, theory-based scale development processes as well as objective measures of PA parenting and associated constructs. Workgroup members also highlighted the need to draw on existing theory, grounded in prior research, to structure contemporary research efforts. The Integrated Model of PA Parenting was developed as one example: It builds on prior research, integrates theory, and encourages exploration of the roles of gender, culture, context, and life stage. Moreover, the model will serve to link PA parenting and food parenting research through common constructs,^{29,42} which in turn will benefit family interventions targeting childhood obesity given links between children's diet, PA, and obesity risk.

The Integrated Model of PA Parenting is not intended as the only or the primary model structuring future research. Moreover, the alignment of the PA parenting practices presented in [Table 1](#) with the higher-order dimensions of responsiveness, demandingness, and structure is hypothetical and has not been tested to date. The model illustrates one application of theory and prior research to inform a macro, or higher-order, representation of PA parenting and guide its future conceptualization, measurement, and research. Where existing theory provides a solid foundation, researchers are encouraged to employ and refine such theories and associated construct definitions for their application to PA parenting.

Acknowledgments

The preconference to the 2012 International Society for Behavioral Nutrition and Physical Activity (ISBNPA) annual meeting, "Parenting Measurement: Current Status and Consensus Reports" and resulting manuscripts were made possible due to funding from the United States Department of Agriculture/Agricultural Research Service (USDA/ARS 2012-68001-19285) and the National Heart, Lung, and Blood Institute of the National Institutes of Health (R13HL114262).

We wish to acknowledge and thank all individuals who participated in the physical activity workgroup, including Elva Arredondo, Laura Bellows, Anna Burrows, Kirsten Davison, Sara De Lepeleere, Marilyn Frenn, Erica Gobbi, Phillip Hanson, Angela Hilmers, John Hudec, Louise C. Mâsse, Jason Mendoza, Frank Perna (NCI), Anna Timperio, Julie Saunders, Katie Scheller, Michaela Schenkelberg, Stewart Trost, Kerri van der Ploeg, Dianne Ward, and Judith Warren.

Author Disclosure Statement

No competing financial interests exist for K.K.D., A.T., M.F., J.S., J.A.M., E.G., P.H., L.C.M., or S.T. L.M. received salary support from The Michael Smith Foundation for Health Research, the Child and Family Research Institute, and the Sunny Hill Foundation.

Article information

Child Obes. 2013 Aug; 9(Suppl 1): S-103–S-109.

doi: [10.1089/chi.2013.0037](https://doi.org/10.1089/chi.2013.0037)

PMCID: PMC3746238

Kirsten K. Davison, PhD,^{✉1} Louise C. Mâsse, PhD,² Anna Timperio, PhD,³ Marilyn D. Frenn, PhD,⁴ Julie Saunders, MSc,⁵ Jason A. Mendoza, MD, MPH,⁶ Erica Gobbi, MS,⁷ Phillip Hanson, BS,⁸ and Stewart G. Trost, PhD⁹

¹Department of Nutrition, Harvard School of Public Health, Harvard University, Boston, MA.

²School of Population and Public Health, University of British Columbia, Vancouver, BC, Canada.

³School of Exercise and Nutrition Sciences, Deakin University, Corrimal, Australia.

⁴College of Nursing, Marquette University, Milwaukee, WI.

⁵School of Population Health, University of Western Australia, Crawley, Australia.

⁶USDA/ARS Children's Nutrition Research Center, Baylor College of Medicine, Department of Pediatrics, Houston, TX.

⁷Department of Philosophy, Sociology, Education and Applied Psychology (FISPPA), University of Padua, Padua, Italy.

⁸Center for Health Promotion and Disease Prevention, University of North Carolina, Chapel Hill, NC.

⁹School of Human Movement Studies, University of Queensland, St Lucia, Australia.

[✉]Corresponding author.

Address correspondence to: Kirsten K. Davison, PhD, Associate Professor of Nutrition, Department of Nutrition, Harvard School of Public Health, 665 Huntington Avenue, Boston, MA 02115. E-mail: Email: kdavison@hsph.harvard.edu

Copyright 2013, Mary Ann Liebert, Inc.

This article has been cited by other articles in PMC.

Articles from Childhood Obesity are provided here courtesy of Mary Ann Liebert, Inc.

References

1. Beets MW, Cardinal BJ, Alderman BL. Parental social support and the physical activity-related behaviors of youth: A review. *Health Educ Behav*. 2010;37:621–644. [PubMed]
2. Edwardson CL, Gorely T. Activity-related parenting practices and children's objectively measured physical activity. *Pediatr Exerc Sci*. 2010;22:105–113. [PubMed]
3. Gustafson SL, Rhodes RE. Parental correlates of physical activity in children and early adolescents. *Sports Med*. 2006;36:79–97. [PubMed]
4. Trost S, Loprinzi P. Parental influences on physical activity behavior in children and adolescents: A brief review. *Am J Lifestyle Med*. 2011;5:171–181.
5. Trost SG, Sallis JF, Pate RR, et al. Evaluating a model of parental influence on youth physical activity. *Am J Prev Med*. 2003;25:277–282. [PubMed]
6. Welk GJ, Wood K, Morss G. Parental influences on physical activity in children: An exploration of potential mechanisms. *Pediatr Exerc Sci*. 2003;15:19–33.
7. O'Connor TM, Jago R, Baranowski T. Engaging parents to increase youth physical activity: A systematic review. *Am J Prev Med*. 2009;37:141–149. [PubMed]
8. Trost SG, McDonald S, Cohen A. Measurement of general and specific approaches to physical activity parenting: A systematic review. *Child Obes*. 2013;9(S1):S-40–S-50. [PMC free article] [PubMed]
9. Slegdens EF, Kremers SP, Hughes SO, et al. Physical activity parenting: A systematic review of questionnaires and their association with child activity levels. *Obes Rev*. 2012;13:1015–1033. [PubMed]
10. Adams SA, Matthews CE, Ebbeling CB, et al. The effect of social desirability and social approval on self-reports of physical activity. *Am J Epidemiol*. 2005;161:389–398. [PMC free article] [PubMed]
11. Wright MS, Wilson DK, Griffin S, et al. A qualitative study of parental modeling and social support for physical activity in underserved adolescents. *Health Educ Res*. 2010;25:224–232. [PMC free article] [PubMed]
12. Davison KK, Deane GD. The consequence of encouraging girls to be active for weight loss. *Soc Sci Med*. 2010;70:518–525. [PMC free article] [PubMed]
13. Sallis JF, Grossman RM, Pinski RB, et al. The development of scales to measure social support for diet and exercise behaviors. *Prev Med*.

1987;16:825–836. [\[PubMed\]](#)

14. Kitzman-Ulrich H. Wilson DK. Van Horn ML, et al. Relationship of body mass index and psychosocial factors on physical activity in underserved adolescent boys and girls. *Health Psychol.* 2010;29:506–513. [\[PubMed\]](#)

15. Sallis JF. Alcaraz JE. McKenzie TL, et al. Predictors of change in children's physical activity over 20 months. Variations by gender and level of adiposity. *Am J Prev Med.* 1999;16:222–229. [\[PubMed\]](#)

16. Davison KK. Schmalz DL. Youth at risk of physical inactivity may benefit more from activity-related support than youth not at risk. *Int J Behav Nutr Phys Act.* 2006;28:5. [\[PMC free article\]](#) [\[PubMed\]](#)

17. Cronbach LJ. Meehl PE. Construct validity in psychological tests. *Psychol Bull.* 1955;52:281–302. [\[PubMed\]](#)

18. Clark L. Watson D. Construct validity: Basic issues in objective scale development. *Psychol Assess.* 1995;7:309–319.

19. Hagger M. Chatzisarantis NL. Hein V, et al. Teacher, peer and parent autonomy support in physical education and leisure-time physical activity: A trans-contextual model of motivation in four nations. *Psychol Health.* 2009;24:689–711. [\[PubMed\]](#)

20. Anderson CB. Coleman KJ. Adaptation and validation of the athletic identity questionnaire-adolescent for use with children. *J Phys Act Health.* 2008;5:539–558. [\[PubMed\]](#)

21. Anderson CB. Mâsse LC. Hergenroeder AC. Factorial and construct validity of the athletic identity questionnaire for adolescents. *Med Sci Sports Exerc.* 2007;39:59–69. [\[PubMed\]](#)

22. Bandura A. *Social Foundations of Thought and Action: A Social Cognitive Theory.* Prentice Hall; Englewood Cliffs, NJ: 1986.

23. Bronfenbrenner U. *The Ecology of Human Development: Experiments by Nature and Design.* Harvard University Press; Cambridge, MA: 1979.

24. Ryan RM. Deci EL. Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. *Am Psychol.* 2000;55:68–78. [\[PubMed\]](#)

25. Welk G. The youth physical activity promotion model: A conceptual bridge between theory and practice. *Quest.* 1999;51:5–23.

26. Eccles JS. Harold RD. Gender differences in sport involvement: Applying Eccles' Expectancy-Value model. *J Appl Sport Psychol.* 1991;3:7–35.

27. Slater M. Power T. Multidimensional assessment of parenting in single-parent families. In: Vincent JP, editor. *Advances in Family Intervention, Assessment and Theory.* JAI Press; Greenwich, CT: 1987. pp. 197–228.

28. Power TG. Parenting dimensions and styles: A brief history and recommendations for future research. *Child Obes.* 2013;9(S1):S-14–S-21. [\[PMC free article\]](#) [\[PubMed\]](#)

29. Grolnick WS. Pomerantz EM. Issues and challenges in studying parental control: Toward a new conceptualization. *Child Dev Perspect.* 2009;3:165–170. [\[PMC free article\]](#) [\[PubMed\]](#)

30. Darling N. Steinberg L. Parenting style as context: An integrative model. *Psychol Bull.* 1993;113:487–496.

31. Dowda M. Pfeiffer KA. Brown WH, et al. Parental and environmental correlates of physical activity of children attending preschool. *Arch Pediatr Adolesc Med.* 2011;165:939–944. [\[PubMed\]](#)

32. Pfeiffer KA. Dowda M. McIver KL, et al. Factors related to objectively measured physical activity in preschool children. *Pediatr Exerc Sci.* 2009;21:196–208. [\[PMC free article\]](#) [\[PubMed\]](#)

33. Gagne M. Autonomy support and need satisfaction in the motivation and well-being of gymnasts. *J Appl Sport Psychol.* 2003;15:372–390.

34. Hohepa M. Scragg R. Schofield G, et al. Social support for youth physical activity: Importance of siblings, parents, friends and school support across a segmented school day. *Int J Behav Nutr Phys Act.* 2007;4:54. [\[PMC free article\]](#) [\[PubMed\]](#)

35. Davison KK. Nishi A. Kranz S, et al. Associations among social capital, parenting for active lifestyles, and youth physical activity in rural families living in upstate New York. *Soc Sci Med.* 2012;7:1488–1496. [\[PubMed\]](#)

36. Loprinzi PD. Trost SG. Parental influences on physical activity behavior in preschool children. *Prev Med.* 2010;50:129–133. [\[PubMed\]](#)

37. Davison KK, Jurkowski JM, Lawson HA. Reframing family-centered obesity prevention using the Family Ecological Model. *Public Health Nutr.* 2012 Oct 22;;1–9. E-pub ahead of print. [[PubMed](#)]
38. Elder G. Time, human agency and social change: Perspectives on the life course. *Soc Psychol Q.* 1994;57:4–15.
39. Mâsse L, Watts A. Stimulating innovations in the measurement of parenting constructs. *Child Obes.* 2013;9(S1):S-5–S-13. [[PMC free article](#)] [[PubMed](#)]
40. Sebire SJ, Jago R. Parenting quality and television viewing among 10 year old children. *Prev Med.* 2013;56:348–350. [[PubMed](#)]
41. Dunton GF, Liao Y, Intille SS, et al. Investigating children's physical activity and sedentary behavior using ecological momentary assessment with mobile phones. *Obes.* 2011;19:1205–1212. [[PubMed](#)]
42. O'Connor T, Watson K, Hughes S, et al. Health professionals' and dietetics practitioners' perceived effectiveness of fruit and vegetable parenting practices across six countries. *J Am Diet Assoc.* 2010;110:1065–1071. [[PubMed](#)]