

11-1-2018

Impending Total Airway Collapse Involving a Maxillary Removable Partial Denture: A Clinical Report

Georgios Maroulakos

Marquette University, georgios.maroulakos@marquette.edu

Stylios Voulgarelis

Medical College of Wisconsin

Marquette University

e-Publications@Marquette

Dentistry Faculty Research and Publications/School of Dentistry

This paper is NOT THE PUBLISHED VERSION; but the author’s final, peer-reviewed manuscript. The published version may be accessed by following the link in the citation below.

The Journal of Prosthetic Dentistry (2018). [DOI](#). This article is © Elsevier and permission has been granted for this version to appear in [e-Publications@Marquette](#). Elsevier does not grant permission for this article to be further copied/distributed or hosted elsewhere without the express permission from Elsevier.

Contents

Abstract.....	2
Clinical Report.....	2
Summary	4
Appendix	4
References	4

Impending total airway collapse involving a maxillary removable partial denture: A clinical report

Georgios Maroulakos

Division of Prosthodontics, Department of General Dental Sciences, Marquette University School of Dentistry, Milwaukee, WI

Stylianos Voulgarelis

Division of Pediatric and Adult Cardiothoracic Anesthesiology, Medical College of Wisconsin, Milwaukee, WI

Abstract

This article presents a rare incident of a bilateral maxillary [removable partial denture](#) as an airway foreign body. The removable partial denture and the surrounding soft tissue irritation caused partial obstruction of the airway. Impending airway [collapse](#) was avoided after successful removal of the foreign body. Removing a removable [dental prostheses](#) at night, not only to prevent [soft tissue pathology](#) but also to avoid ingestion or aspiration of the [prosthesis](#), must be emphasized.

Ingestion or aspiration of foreign objects can be a serious medical emergency. More than 92% of swallowed foreign objects will follow the [gastrointestinal tract](#),¹ and approximately 60% of these will reach the stomach.² Once the stomach is reached, most objects should pass through the gastrointestinal tract without complications within 7 to 10 days.²

In dentistry, the ingestion or aspiration of a foreign object is a rare incident³ and makes up about 6.6% of all ingested or aspirated objects.⁴ In most situations, foreign dental objects are ingested,^{5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28} and only a few reports have described aspiration.^{4, 14, 29, 30} Accidents most often happen chairside during [orthodontics](#),^{9, 10, 14} implant dentistry,^{6, 14} [endodontic](#) procedures,^{10, 14} or other restorative procedures^{10, 14, 15, 21} in which small instruments were used or the dental provider did not take preventive measures. However, ingestion of orthodontic devices,^{9, 16} fixed [dental prostheses](#),¹³ and removable dentures^{5, 7, 11, 17, 18, 19, 20, 22, 23, 24, 25, 26, 28} have been reported while the patient was away from the dental office.

Accidental ingestion of dental [prostheses](#) may happen more often in elderly individuals or those with reduced mental function.^{17, 26} Existing evidence-based guidelines for the care and maintenance of removable prostheses recommend removal while sleeping to prevent denture stomatitis.³¹ However, ingestion or aspiration is a much more serious medical emergency and can occur while the patient is eating, speaking, or sleeping. Ingested prostheses, either fixed or unilateral [removable partial dentures](#), have been typically smaller in size,^{5, 7, 17, 18, 19, 23} replaced only a few teeth, and/or were lacking a metal framework.^{11, 20, 22, 25, 28, 29} In addition to airway obstruction, the size of the prostheses and the presence of sharp metal retentive elements may increase the possibility for other complications, such as esophageal erosion or intestinal perforation.³² The purpose of this clinical report was to present a rare airway foreign object incident that involved a large bilateral maxillary removable partial denture with a cast metal framework.

Clinical Report

A 76-year-old man presented to the emergency department at the Clement J. Zablocki VA Medical Center with [dyspnea](#) and productive coughing. He reported that 2 nights earlier he had a coughing episode while lying on his bed that caused him to swallow his [prosthesis](#). The patient was in moderate distress, and because of shortness of breath and presence of secretions he was unable to give more information about his symptoms. A cervical [radiograph](#) showed the denture in the [hypopharynx](#) (Fig. 1). He subsequently underwent a flexible fiber-optic [laryngoscopy](#) to evaluate the airway. The prosthesis was partially visualized in the postcricoid region, and one of the clasps was engaged on the [mucosa](#) of the right [arytenoid cartilage](#) (Fig. 2). [Generalized edema and erythema](#) were noted, as were thick secretions. Because of the longstanding presence of the prosthesis and the tissue irritation, the airway threatened to [collapse](#).



Figure 1. Lateral cervical [radiograph](#) showing foreign body located at [hypopharynx](#).




Figure 2. [Laryngoscopy](#) image showing exact location of foreign body. [Generalized edema](#) of surrounding tissues resulting in partial airway obstruction. Single black arrow, [epiglottis](#); single white arrow, right arytenoid/corniculate cartilage; double white arrows, [vocal cords](#).

The patient presented for the removal of a foreign body in the airway. Because the location of the denture was below the [vocal cords](#) in the proximal [esophagus](#) and because it was well engaged with the tissue, the patient would benefit from induction and [intubation](#) with a smaller tube. The patient underwent [general anesthesia](#) and the moderately difficult removal of a foreign body from the airway ([Fig. 3](#), [Supplemental Video 1](#)). The patient was extubated soon after the procedure.



Figure 3. Retrieved prosthesis.

Summary

Although rare, dental prosthesis ingestion or aspiration could be a serious incident. This clinical report presents the management of a rare medical emergency that resulted from a large maxillary partial denture obstructing the airway. The adequate retention and design of a prosthesis can prevent excessive movement while in function. Patients are instructed to remove removable prostheses while sleeping to prevent soft tissue pathology. However, the risks of ingestion or aspiration may impose a life-threatening complication and must be emphasized.

Appendix

<https://ars.els-cdn.com/content/image/1-s2.0-S0022391318300921-mmc1.mp4>

References

- L.H. Clerf **Historical aspects of foreign bodies in the air and food passages** South Med J, 68 (1975), pp. 1449-1454
- J.F. Hacker 3rd, E.L. Cattau Jr. **Management of gastrointestinal foreign bodies** Am Fam Physician, 34 (1986), pp. 101-108
- G. Susini, L. Pommel, J. Camps **Accidental ingestion and aspiration of root canal instruments and other dental foreign bodies in a French population** Int Endod J, 40 (2007), pp. 585-589
- N. Tamura, T. Nakajima, S. Matsumoto, T. Ohyama, Y. Ohashi **Foreign bodies of dental origin in the air and food passages** Int J Oral Maxillofac Surg, 15 (1986), pp. 739-751
- E.L. Soulsby, A. Burns **Too much to swallow? A case report of an ingested denture** Eur J Prosthodont Restor Dent, 23 (2015), pp. 46-48
- L. Pull Ter Gunne, D. Wismeijer **Accidental ingestion of an untethered instrument during implant surgery** Int J Prosthodont, 27 (2014), pp. 277-278
- M. Gallas, M. Blanco, D. Martinez-Ares, E. Rivo, E. Garcia-Fontan, M. Canizares **Unnoticed swallowing of a unilateral removable partial denture** Gerodontology, 29 (2012), pp. e1198-e1200
- U.K. Umesan, W. Ahmad, P. Balakrishnan **Laryngeal impaction of an archwire segment after accidental ingestion during orthodontic adjustment** Am J Orthod Dentofacial Orthop, 142 (2012), pp. 264-268
- L. Bilder, H. Hazan-Molina, D. Aizenbud **Medical emergencies in a dental office: inhalation and ingestion of orthodontic objects** J Am Dent Assoc, 142 (2011), pp. 45-52
- K. Obinata, T. Satoh, A.M. Towfik, M. Nakamura **An investigation of accidental ingestion during dental procedures** J Oral Sci, 53 (2011), pp. 495-500

- M.S. Campos, F.D. Nunes, R.S. Godoy, L. Rodrigues Jr., E.H. Shinohara **Removal of a partial denture from the esophagus with the aid of an endoscope** *Int J Prosthodont*, 23 (2010), pp. 339-341
- R. Hisanaga, K. Hagita, K. Nojima, A. Katakura, K. Morinaga, T. Ichinohe, *et al.* **Survey of accidental ingestion and aspiration at Tokyo Dental College Chiba Hospital** *Bull Tokyo Dent Coll*, 51 (2010), pp. 95-101
- P. Glen, U. Ihedioha, I. Mackenzie **An unusual extraction; retrieval of a swallowed crown by appendicectomy** *Br Dent J*, 202 (2007), pp. 141-142
- K.K. Tiwana, T. Morton, P.S. Tiwana **Aspiration and ingestion in dental practice: a 10-year institutional review** *J Am Dent Assoc*, 135 (2004), pp. 1287-1291
- M. Ulusoy, S. Toksavul **Preventing aspiration or ingestion of fixed restorations** *J Prosthet Dent*, 89 (2003), pp. 223-224
- T.M. Milton, S.D. Hearing, A.J. Ireland **Ingested foreign bodies associated with orthodontic treatment: report of three cases and review of ingestion/aspiration incident management** *Br Dent J*, 190 (2001), pp. 592-596
- C.M. Rizzatti-Barbosa, F.L. Cunha, W.A. Bianchini, J.R. de Albergaria-Barbosa, B.P.Gomes **Accidental impaction of a unilateral removable partial denture: a clinical report** *J Prosthet Dent*, 82 (1999), pp. 270-271
- J.R. Dunn **Patient swallows removable partial denture: a clinical report** *J Prosthet Dent*, 76 (1996), pp. 571-572
- D.L. Brunello, M.N. Mandikos **A denture swallowed. Case report** *Aust Dent J*, 40 (1995), pp. 349-351
- L.D. Cooke, P.W. Baxter **Accidental impaction of partial dental prostheses in the upper gastrointestinal tract** *Br Dent J*, 172 (1992), pp. 451-452
- J.F. Nelson **Ingesting an onlay. A case report** *J Am Dent Assoc*, 123 (1992), pp. 73-74
- T.P. Treska, C.C. Smith **Swallowed partial denture** *Oral Surg Oral Med Oral Pathol*, 72 (1991), pp. 756-757
- C.J. Goodacre **A dislodged and swallowed unilateral removable partial denture** *J Prosthet Dent*, 58 (1987), pp. 124-125
- C.O. Hazelrigg **Ingestion of mandibular complete denture** *J Am Dent Assoc*, 108 (1984), p. 209
- L.I. Jacobs **Ingestion of partial denture** *J Am Dent Assoc*, 101 (1980), p. 801
- D.M. Perenack **Ingestion of mandibular complete denture** *J Am Dent Assoc*, 101 (1980), p. 802
- H. Birkholz, A.H. Wells **Swallowed denture** *Oral Surg Oral Med Oral Pathol*, 47 (1979), p. 105
- A.G. Kerr **Swallowed dentures** *Br Dent J*, 120 (1966), pp. 595-598
- B.R. Chrcanovic, L.N. Souza **Tracheotomy for a foreign body in the larynx** *Oral Maxillofac Surg*, 13 (2009), pp. 55-58
- R.T. Fields Jr., S.R. Schow **Aspiration and ingestion of foreign bodies in oral and maxillofacial surgery: a review of the literature and report of five cases** *J Oral Maxillofac Surg*, 56 (1998), pp. 1091-1098
- D. Felton, L. Cooper, I. Duqum, G. Minsley, A. Guckes, S. Haug, *et al.* **Evidence-based guidelines for the care and maintenance of complete dentures: a publication of the American College of Prosthodontists** *J Prosthodont*, 20 (2011), pp. S1-S12
- A. Ghori, N.J. Dorricott, D.S. Sanders **A lethal ectopic denture: an unusual case of sigmoid perforation due to unnoticed swallowed dental plate** *J R Coll Surg Edinb*, 44 (1999), pp. 203-204